



Project 145230
Lab # 205360
Date Rec'd 5/11/2026
Report Issued 5/20/2026

Certificate of Analysis



Compound Retatrutide
Label Claim 10 mg
Batch/Lot "260001"


<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>LOQ</u>	<u>% of Label</u>	<u>Method</u>	<u>Date</u>	<u>CAS</u>
Peptide Analysis							
Chromatographic purity	>99.9	%	0.5		HPLC-UV/MS	5/12/2026	
Retatrutide	8.51	mg	0.5	85.1	HPLC-UV-MS	5/12/2026	2381089-83-2
Mass Spectral Match	ID Confirmed				HPLC-UV-MS	5/12/2026	

The data presented are from the analysis of the sample shown and meet Krause Analytical internal quality assurance criteria unless otherwise flagged.
 Methods shown reference current Krause Analytical SOPs
 ND - Not detected LOQ - limit of quantification
 All values reported on a per vial basis unless otherwise noted
 Copyright © 2026 Krause Analytical LLC. All rights reserved.

Respectfully submitted,

Mark C. Krause
 Laboratory Director

CHROMATOGRAM



Sample Report:

1: (Time: 0.30) Combine (13:19- (7:10+30:33))

1: MS ES+
1.0e+005